EXPRESS MAIL CERTIFICATE

"Express Mail" mailing label number

EV 336 697 808 US

Date of Deposit

May 17, 2004

Type of Documents

Information Disclosure Statement;

Form 1449;

Cited References / twenty-three (23); and

Return Postcard

Serial No.

.

10/670,896

Filing Date

September 25, 2003

I hereby certify that the documents identified above are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and are addressed to the Commissioner for Patents, P.O. Box 1450,

Alexandria, VA 22313-1450.

_

(-i --- - t----



05-18-04



PATENTS EV 336 697 808 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re:

Hotta, et al.

Examiner:

To be assigned

Serial No.:

10/670,896

Art Unit:

3762

Filed:

September 25, 2003

Docket No.:

B185 1180.1

(MSC 8011)

For:

Methods for Removal of Contaminants from Blood Product Solutions

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Applicants hereby voluntarily disclose the references listed on the attached Form PTO-1449 to the Commissioner for Patents. Copies of twenty-three (23) references listed on Applicants' form PTO-1449 are enclosed herewith. This Information Disclosure Statement is being submitted prior to the mailing of a first Office Action on the merits of the application. Accordingly, no fees are due. However, should any fee be due in connection with this submission, the Commissioner is hereby authorized to charge those fees to Deposit Account No. 09-0528.

The reference D4 (Burnouf-Radosevich, M., "Viral Safety of Intravenous Immunglobulins G for Therapeutic Use," Transfus. Clin. Biol., 2(3): 167-179 (1995)) is a French language document that appears to discuss at least some aspect of nanofiltration for the specific removal of viruses based on size (document was published with an English language abstract).

Also, Applicants are not aware of the date the information in reference D14 (Planova® Filters, Planova® Filters for Virus Removal, Asahi Kasei Corporation, Planova® Division, www.asahi-kasei.co.jp/planova/product/filters.html, pp. 1-4.) was made available to the public.

Appln No. 10/670,896 EV 336 697 808 US

The enclosed copies of documents D16 - D20 are complete. Each original document contained numbered divider pages which do not appear in the enclosed copies; consequently,

there are no missing pages in the enclosed copies.

This statement should not be construed as the representation that any search has been made, or that the information cited herewith is material, or that there does not exist information more material to the examination of the present Application. The Examiner is specifically requested not to rely solely on the information submitted herein. On the contrary, the Examiner is requested to conduct an independent and thorough review of all available information, and to

form independent opinions as to its significance.

Applicants further reserve the right to establish the patentability of the claimed invention over any of the listed information should they be applied as references, and/or to prove that the cited information may not be prior art, and/or to prove that the cited information may not be

enabling for the teachings they purport to offer.

The Examiner is respectfully requested to initial and return copies of the enclosed Form PTO-1449 and to indicate in the official file wrapper of the above-identified patent application that each item of the cited information has been considered.

Respectfully submitted,

Date: / hu 1+ 2004

Carl B. Massey, Jr. Registration No. 44,224 Attorney for Applicants

Docket: B185 1180.1 (MSC 8011) Womble Carlyle Sandridge & Rice, PLLC Post Office Box 7037 Atlanta, Georgia 30357-00378

Telephone (336) 721-3681 Facsimile(336) 726-8074

FORM PTO-1	449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE			ATTY DKT NO. B185 1180.1 APPLICANT			SERIAL NO. 10/670,896				
						Hotta, et al.						
41'		ORMATION DIS			FILING DATE			GROUP				
HV.	** STATEMENT BY APPLICANT				09/25/03			3762				
PATENT & TRI				ENT DOCUMENTS	<u> </u>		1		-			
EXAMINER INITIAL		DOCUMENT NO. DATE NAME					JBCL.		FILING DATE IF APPROP.			
	P1	US 2002/0192794 A1	12/19/02	Dadd, et al.		435	217		<u>.</u>			
	P2	US 2002/0009707 A1	01/24/02	Nur, et al.		435	2					
	P3	6,096,872 A	08/01/00	Van Holten, et al.		530	390					
	P4	5,886,154	03/23/99	Lebing, et al.		530	390		_			
	P5	2,390,074	12/04/45	Cohn, et al.		260	122	2				
			FOREIGN PA	ATENT DOCUMEN	NTS							
		DOCUMENT NO.	DATE	COUNTR	Y	CL.	SUE	CL	TRANS	LATION		
	F1 -	EP 1 206 961 A1	05/22/02	EP								
	F2	WO 01/36611 A1	05/25/01	WO								
	F3	WO 98/37086	08/27/98	WO								
	1	OTHER DOCUM	MENTS (Incl.)	Author, Title, Date,	Pertinen	t pages, etc	c.)					
	D1	Abe, H., et al., "Rem	oval of Parvov	irus B19 from Hemo	globin So	lution by N	anofil	tration	," Art. C	ells,		
1		Abe, H., et al., "Removal of Parvovirus B19 from Hemoglobin Solution by Nanofiltration," Art. Cells, Blood Subs., and Immob. Biotech., 28(5): 375-383 (2000).										
-	D2		Aranha, H., "Viral Clearance Strategies for Biopharmaceutical Safety Part 2: Filtration for Viral									
		Clearance," Reprinte	d from <i>Biophai</i>	rm., 8 pages (2001).				4,4				
	D3	Burnouf-Radosevich, M., et al., "Nanofiltration, a New Specific Virus Elimination Method Applied to High-Purity Factor IX and Factor XI Concentrates," Vox. Sang., 67(1): 132-138 (1994).										
	D4 ,	Burnouf-Radosevich, M., "Viral Safety of Intravenous Immunglobulins G for Therapeutic Use," <i>Transfus. Clin. Biol.</i> , 2(3): 167-179 (1995).										
	D5	Carter, J., and H. Lutz, "An overview of viral filtration in biopharmaceutical manufacturing," <i>European Journal of Parenteral Sciences</i> , 7(3): 72-78 (2002).										
	D6	Hotta, J., et al., "Significant Parvovirus Removal and Product Recovery from an IgG-containing Solution using Planova Filters," PDA/FDA Viral Clearance Forum, 1 page (October 2001).										
	D7	Ide, S., "Development of New Planova® Membrane – the Planova® 20N Filter," Planova® Workshop										
		Tokyo, Japan, pp. 135-145 (November 1, 2000).										
	D8	Korneyeva, M., "Factors Influencing Virus Removal and Product Yield During Nanofiltration of Highly Purified Plasma-Derived Protein with Thrombolytic Activity," Slides from Oral Presentation, 29 th World Congress of the International Society of Hematology, Seoul, Korea, pp. 1-17 (August 24-28, 2002).										
	D9 .	Li, H., et al., "Low p Slides from Oral Pre (October 1-3, 2001).								rmation,"		
	D10	McNaull, S., et al., " Using an Ultrafiltrati PDA/FDA Viral Cle	ion Membrane i	in Normal-Flow Cont	figuration	" Slides fro	om Oı	al Pres				
EXAMINER	1	1 - 2 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			CONSIL		<u> </u>					
EXAMINER:	Initial if c	itation considered, who		ation is in conformance			iraw li	ine thre	ough cita	tion if not		

in conformance and not considered. Include copy of this form with next communication to applicant.

PATENT AND TRADEMARK OFFICE ATION DISCLOSURE ENT BY APPLICANT	APPLICANT	10,0,0,0,0					
EIVI DI IMI EIGIMVI	B185 1180.1 10/670,896 APPLICANT Hotta, et al.						
eral sheets if necessary)	FILING DATE 09/25/03	GROUP 3762					
R DOCUMENTS (Including Author, I	Title, Date, Pertinent Pages, e	etc.)					
O'Grady, J., et al., "Virus Removal Studies Using Nanofiltration Membranes," Viral Safety and Evaluation of Viral Clearance from Biopharmaceutical Products, Dev. Biol. Stand., 88: 319-326 (1996).							
Omar, A., and C. Kempf, "Removal of Neutralized Model Parvoviruses and Enteroviruses in Human IgG Solutions b Nanofiltration, <i>Transfusion</i> , 42: 1005-1010 (2002).							
Troccoli, N.M., et al., "Removal of Viruses from Human Intravenous Immune Globulin by 35 nm Nanofiltration," Biologicals, 26: 321-329 (1998).							
Planova® Filters, Planova® Filters for Virus Removal, Asahi Kasei Corporation, Planova® Division, 4 pages, www.asahi-kasei.co.jp/planova/product/filters.html (date of public availability unknown).							
Section 3.1. <u>Virus validation studies for Parvovirus B19</u> , Plasma Protein Therapeutics Association Europe, pp. 5-9 (February 14, 2000).							
Planova® Workshop 2002, Biotherapeutic Production, Safety, and Validation with Planova® Filtration Products, Bethesda, Maryland, USA, Asahi Kasei Corporation, entire publication, (October 10, 2002).							
Planova® Workshop 2001, Virus removal filtration: applications, advances, and analyses, Montecatini Terme, Italy, Asahi Kasei Corporation, entire publication, (September 24 - 25, 2001).							
Planova® Workshop Japan, A forum for exchanging information on the latest developments in virus removal filtration Tokyo, Japan, Asahi Kasei Corporation, entire publication, (November 1, 2000).							
Planova® Workshop USA '99, A forum for exchanging information on the latest developments in virus removal technology, Washington, DC, USA, Asahi Chemical Industry Co., Ltd., entire publication, (November 29, 1999).							
Planova [™] Workshop, To meet and exchange information on the latest developments in virus removal technology, Oslo, Norway, Asahi Chemical Industry Co., Ltd., entire publication, (June 27, 1998).							
DA	TE CONSIDERED						
	J., et al., "Virus Removal Studies Using Nanofilt from Biopharmaceutical Products, Dev. Biol. Storand C. Kempf, "Removal of Neutralized Model tion, Transfusion, 42: 1005-1010 (2002). N.M., et al., "Removal of Viruses from Human In St., 26: 321-329 (1998). Filters, Planova® Filters for Virus Removal, Asai-kasei.co.jp/planova/product/filters.html (date of 1. Virus validation studies for Parvovirus B19, Pl. 14, 2000). Workshop 2002, Biotherapeutic Production, Safe Maryland, USA, Asahi Kasei Corporation, entire Workshop 2001, Virus removal filtration: application Corporation, entire publication, (September 24). Workshop Japan, A forum for exchanging information, Asahi Kasei Corporation, entire publication, Workshop USA '99, A forum for exchanging information, Workshop, To meet and exchange information of Way, Asahi Chemical Industry Co., Ltd., entire publication, Industry C	from Biopharmaceutical Products, <i>Dev. Biol. Stand.</i> , 88: 319-326 (1996). and C. Kempf, "Removal of Neutralized Model Parvoviruses and Enteroviruses in Ftion, <i>Transfusion</i> , 42: 1005-1010 (2002). N.M., et al., "Removal of Viruses from Human Intravenous Immune Globulin by 35 is, 26: 321-329 (1998). Filters, Planova® Filters for Virus Removal, Asahi Kasei Corporation, Planova® Di-kasei.co.jp/planova/product/filters.html (date of public availability unknown). 1. Virus validation studies for Parvovirus B19, Plasma Protein Therapeutics Associa 14, 2000). Workshop 2002, Biotherapeutic Production, Safety, and Validation with Planova® Maryland, USA, Asahi Kasei Corporation, entire publication, (October 10, 2002). Workshop 2001, Virus removal filtration: applications, advances, and analyses, Moei Corporation, entire publication, (September 24 - 25, 2001). Workshop Japan, A forum for exchanging information on the latest developments in Jan, Asahi Kasei Corporation, entire publication, (November 1, 2000). Workshop USA '99, A forum for exchanging information on the latest developments of the Morkshop, To meet and exchange information on the latest developments in virus removal information in virus removal information in virus removal information					